



Tools, tips, and strategies to optimize BEx query performance for SAP HANA

Pravin Gupta
TekLink International

Produced by Wellesley Information Services, LLC, publisher of SAPinsider. © 2016 Wellesley Information Services. All rights reserved.



In This Session

- If you are implementing a fresh SAP BW on SAP HANA system, or after you have finished upgrading to SAP BW on SAP HANA, the key design philosophy to keep in mind is LSA++
- LSA++ architecture results in reduction of layers, but along with that it is important to understand a few other query settings that can have a great impact on query performance in your SAP BW on SAP HANA system
- This session brings you practical tips to optimize the performance of your existing BEx queries and more on related topics

What We'll Cover

- **Introducing SAP BW 7.4 SP11 on SAP HANA**
- **Learning to evaluate query performance and tuning BEx queries to run better on SAP HANA**
- **Evaluating the new query design tool available in SAP BW 7.4 and getting best practices for designing SAP HANA optimized queries**
- **Understanding the SAP HANA analytic process and learning to leverage analytic manager to enable advanced analytic capabilities**
- **Wrap-up**

Introduction to SAP BW 7.4 powered by SAP HANA SP11

- Why the combination of SAP BW 7.4 and SAP HANA is so fascinating
- Overview of new technical capability
- Converting new features into your advantages

What Is New with SAP BW 7.4

- Enhanced Data Modeling
 - ◆ Common Eclipse-based modeling tools
 - ◆ SAP BW/HANA Smart Data Access providing the logical EDW
 - ◆ Easy integration of external data models with Open ODS Layer
 - ◆ Further reduce data layers in SAP BW via Operational Data Provisioning
 - ◆ New Composite Provider
- Push down further processing logic to SAP HANA
 - ◆ SAP BW Analytic Manager
 - ◆ SAP HANA Analysis Processes
 - ◆ SAP BW Transformations
 - ◆ PAK (Planning Application Kit) – Pushing down more planning semantics



SAP BW 7.3 vs. SAP BW 7.4

Features	BW 7.3	BW 7.4 SP5
BEx 3.x	Supported	Not Supported
Character Length	60 Characters	250 Characters
Long Text	60 Characters	1333 Characters
Open ODS layer	n/a	New feature
Eclipse-based modeling tool	n/a	New feature
Mobile Enablement	Limited	Enhanced
Converged planning solutions (i.e., BPC unified)	n/a	New feature
PSA layer	Required	Optional



SAP BW 7.4 and SAP HANA: A Power Couple

Let's look at the greatest drivers for enterprise synergy resulting from the combination:

- Speed (from SAP HANA)
 - ◊ Without having to design a classic star schema
- Simplification (from SAP HANA)
 - ◊ Eliminates the necessity for multi-staged persisted data processing



SAP BW 7.4 and SAP HANA: A Power Couple (cont.)

- **Available Content (from BW):** Over the years the business content for SAP BW has grown significantly – this can be used instantly by SAP HANA
- **Governance (from SAP BW):** SAP BW has a strong foundation in terms of data and structure relationships. This can be used as an advantage in the SAP HANA environment too.





LSA++ Open ODS Layer

- Integrate data into the EDW with more
- Extensive and Flexible options ...



DataSources can be consumed virtually into an Open ODS View


Combined with BW InfoObjects or Models



Generate DataSource from the Open ODS View and ETL data into SAP BW



Advanced DataStore Object (DSO)




Source: SAP

- The next generation of DataStore Object is Advanced DSO
 - ♦ Combines InfoObject and field-based modeling
 - ♦ One type of InfoProvider with different settings to consolidate DSO and InfoCubes
 - ♦ The fast, no activation requires loading of the Write Optimized DSO
 - ♦ The 3-table approach in standard DSOs
 - ♦ The “every characteristic is key” approach of the InfoCube: Supports up to 120 key fields

Advanced DSO can be used for data acquisition layer, corporate memory, data propagation, or reporting layer

The Power of Composite Providers

SAP HANA Tables/Views




Union
and
Join

SAP BW InfoProviders

MultiProvider
InfoSet
Transient Provider
Virtual Provider



Composite
Provider



Composite
Provider
is fully
processed
in SAP HANA

Automatic HANA View Generation

InfoCube

Settings	
InfoCube type	Standard InfoCube
Subtype	SAP HANA-Optimize...
External SAP HANA view	External SAP HANA... <input checked="" type="checkbox"/>
Auditable	<input type="checkbox"/>

DSO

Settings	
Type of DataStore Object	Standard
SID Generation	During Activation
External SAP HANA view	External SAP HANA... <input checked="" type="checkbox"/>
Unique Data Records	<input type="checkbox"/>
Set Quality Status to 'OK'	<input checked="" type="checkbox"/>

Query

SAP HANA/BWA Index Settings		
Data Modification		
Data Last Changed in SAP HANA/BWA Index by	MUMARWADIA	Indexing Dur
Changed on	09/14/2014	Date of Last
Time of Change	16:04:33	Time of Last
Status		
Workspace Status	<input checked="" type="checkbox"/> Not Assigned to a Workspace	
External SAP HANA Repository View	<input checked="" type="checkbox"/> External SAP HANA view for reporting	

InfoObjects

Characteristic	OCUSTOMER
Long Description	Customer number
Short Description	Customer
Version	<input checked="" type="checkbox"/> Active <input type="checkbox"/> Saved

General | Business Explorer | Master data/texts | Hierarchy

Char. is Export DS

Master Data Read Access

Master Data Access	Default
Master Data Read Class	
Read Class Parameters	

External SAP HANA View

External SAP HANA View for Master Data

Composite Provider

Description:


External SAP HANA View

This CompositeProvider *to be added to another Composite Provider*

Specify whether you want an external SAP HANA view for reporting.

SAP HANA Views from Queries

- If a query definition can be expressed as a flat view the calculation can fully take place in SAP HANA and a corresponding SAP HANA view can be generated. To do so the query in Eclipse offers a flag to create an “External SAP HANA view.”
- This will generate an SAP HANA view based on the query definition into a separate SAP HANA schema which allows consuming the data, for example, via SQL or further modeling with native SAP HANA views



Source: SAP

What We'll Cover


- Introducing SAP BW 7.4 SP11 on SAP HANA
- Learning to evaluate query performance and tuning BEx queries to run better on SAP HANA
- Evaluating the new query design tool available in SAP BW 7.4 and getting best practices for designing SAP HANA optimized queries
- Understanding the SAP HANA analytic process and learning to leverage analytic manager to enable advanced analytic capabilities
- Wrap-up

Understanding Query Runtime



Heads-Up

- Client + Network: SAP HANA cannot speed up rendering cells on the front end
- SAP BW OLAP Engine = SAP HANA Calculation Engine + SAP BW Analytic Manager
- DB time includes executing the SQL statement and also the OLAP calculations that are pushed down to SAP HANA




Source: SAP

So Where Are the Improvements for the Query?

- Scenarios with very large master data tables (>100 million rows)
- Query execution plan: SAP HANA has a rule-based optimizer. The rules are continuously improved. E.g., inversion of the JOIN direction for certain accesses and table sizes.
- Materialization of intermediate results – Overcomes memory problems on smaller BWA blades

How to Check for “Push Down” to SAP HANA

- Check for the OLAP functions that can be processed by SAP HANA
- Understand how the push down works ... through BW Statistics
- Is an SAP HANA Calculation Scenario generated and used?
- Is an Exception Aggregation a candidate for push down?



Source: SAP

Query Features and Their Handling

Analytic Manager operation	Release*
Aggregation	BW 7.0 + BWA 7.00
Cell-based calculations (FEMS)	BW 7.0 + BWA 7.00
Hierarchy-processing (part 1)	BW 7.0 + BWA 7.00
MultiProvider-UNION	BW 7.3 + BWA 7.20
Exception aggregation COUNT	BW 7.3 + BWA 7.20
Exception aggregation for keyfigures w/o currency/unit conversion	BW 7.3 + BWA 7.20
Exception aggregation for keyfigures w/ currency conversion	BW 7.3 + BWA 7.20
Exception aggregation for keyfigures w/ unit conversion without reference InfoObject	BW 7.3 + BWA 7.20
Time-dependent currency conversion	BW 7.3 (SP10) on HANA
Avoid intermediate result set materialization (Layer "Q" virtualization)	BW 7.4 (SP05) on HANA
"Current member" calculation	BW 7.4 (SP05)
CompositeProvider (e.g. JOIN between fact data)	BW 7.4 (SP05) on HANA
Stock coverage keyfigures	BW 7.4 (SP06)
Unit conversion with Reference InfoObjects (see SAP Note 2001947 to switch off)	BW 7.4 (SP08) on HANA
Parts of Handling of inventory keyfigures (see SAP Note 2001947 to switch on)	BW 7.4 (SP08) on HANA
Leverage HANA hierarchy processing	planned with BW 7.5(SP00) on HANA
List-based calculations (like conditions)	under discussion
Time-Series calculations	under discussion
Temporal Hierarchy JOIN	planned
Internal Business Volume elimination	under discussion
Formula exception aggregation for non-dimensional keyfigures	planned
Formula exception aggregation	planned




Note

Keep checking SAP Note 2063449 | BWA functionality is fully covered by SAP HANA, not vice versa

Checking BW Statistics

- Run the query with RSRT settings as shown
- Review the steps and timing through the various layers, including the SAP HANA Calculation Engine layer
- Change the Query Execution Modes and repeat to review differences in execution, steps, and performance



Source: SAP

Statistics Data for Query Runtime


Frontend/Calculation Layer | Aggregation Layer | Aggregation Layer Cluster Info | **HANA Calculation Engine Layer**

Data Manager UID	Host Name	Internal ...	Scenario Name	Calculation Node Name	Statement ID	Ta...	Column Names	Table Size	Execution Timestamp
00A0185ZPDRZ5WP1IMUP3D5HP	it5006	31.003	SAPHBW:0BW:BIA: BIO...	\$REQUEST\$	0		BNR_0002@sum@	1	20150608113314312
00A0185ZPDRZ5WP1IMUP3D5HP	it5006	31.003	SAPHBW:0BW:BIA: BIO...	NORMAL_0001_CC	0		0D_NW_SO_SID;BNR_0002	1.344.130	20150608113314312
00A0185ZPDRZ5WP1IMUP3D5HP	it5006	31.003	SAPHBW:0BW:BIA: BIO...	NORMAL_0001_NO	0		0D_NW_SO_SID;S____2360_CU;RBNR_0002_SUM_0001;RBN...	5.376.546	20150608113314312
00A0185ZPDRZ5WP1IMUP3D5HP	it5006	31.003	SAPHBW:0BW:BIA: BIO...	NORMAL_LQHF	0		0D_NW_SO_SID;0D_NW_PCURR_SID;RBNR_0002	5.376.546	20150608113314312
00A0185ZPDRZ5WP1IMUP3BX8T	it5006	31.003	SAPHBW:0BW:BIA: _CS...	\$REQUEST\$	0		0D_NW_BP_SID;0D_NW_PCURR_SID;D_NW_NAMT@sum@;_...	573	20150608113312946
00A0185ZPDRZ5WP1IMUP3BX8T	it5006	31.003	SAPHBW:0BW:BIA: _CS...	0EPM_MP02	0		0D_NW_BP_SID;0D_NW_PCURR_SID;D_NW_NAMT;_numoff...	573	20150608113312946

Query Execution Mode in Transaction RSRT

- SAP BW can access data in SAP HANA in two different ways:
 - ♦ Standard SQL
 - ♦ Using SAP HANA API against the Calculation Engine. This supports the OLAP/Calculation features.
- By default all queries use Mode “3.” A Calculation Scenario is created in SAP HANA at runtime combining the Column Views of the InfoProviders. Then, a single statement is executed via the HANA-API for this cluster. The other InfoProviders are accessed independently, but in parallel.


Query Execution Mode “3”



Source: SAP

- Pushes the UNION operation to SAP HANA
- Decreases the amount of data that has to be transferred from the database to the application server
- SAP HANA can also reuse the result of certain operations that have to be performed for each single InfoProvider in the cluster (e.g., a JOIN between the SID-table and a master data [X-/Y-] table)


Query Execution Mode "0"



Source: SAP

- Mode "0" means no operations in SAP HANA
- Each single InfoProvider is accessed via the generated SQL statement
- May be used in debugging situations when you want to force the usage of the JOIN engine
- **SAP Note 1858333 – Query Execution Mode "2/3" reads more data than "0" has more details on unique situations when Mode "0" may be the fastest**


Query Execution Mode “2”



Source: SAP

- Mode “2” means no operations in SAP HANA
- Each single InfoProvider is accessed via the generated SQL statement
- May be used in debugging situations when you want to force the usage of the JOIN Engine

Query Execution Mode “6”




Source: SAP

- Mode “6” is specifically to deal with exception aggregation in SAP HANA
- Check the query runtime statistics, especially the “records transferred” value, to give an indication of the level of performance gain by the push down

Read Mode

- The read mode determines how the OLAP processor gets data during navigation. Three alternatives are supported:



- **A** = When accessing the database, the system uses the most suitable aggregate table and, if possible, aggregates in the database itself
- **X** = You can improve the performance of queries with large presentation hierarchies by creating aggregates in a middle hierarchy level that is greater than or equal to the start level
- **H** = The “Read when navigating” setting, in contrast to “Read when navigating/expanding the hierarchy,” only has a better performance for queries with presentation hierarchies

Query Cache Mode

- The cache mode defines whether and how the query results and navigational states calculated by the OLAP processor should be saved as highly compressed data in a cache
- Can be defined at InfoProvider and query level
- Caching is a means of improving query performance.
But you need to balance:
 - ♦ **Benefits:** Caching improves the response time for queries
 - ♦ **Costs:** Expenditure involved in organizing and retaining data in the cache




Different Cache Modes: Local and Database

- **Cache Mode I: Cache is inactive**
 - ♦ New data is read during every single navigation step
- **Cache Mode 0: Local cache**
 - ♦ The database cache is deactivated. In this case, the system works exclusively with the local cache.
- **Cache Mode D: Cache in database**
 - ♦ The cache data is persistent in database tables. In this mode, no data is displaced, and the memory size is unlimited. The database instance for the table carries the load. More space is required, but this method also saves time.
- **Cache Mode P: Every provider as set in the InfoProvider definition**
 - ♦ This mode is only available for queries on MultiProviders and CompositeProviders. It makes it possible to cache the data from the contained InfoProviders in accordance with the cache mode set in the definition of each individual InfoProvider.

Cache Usage Mode

- The cache usage mode is an expert extension to the cache mode. It defines in which situation cache entries can be used for answering a query, and in which cases data needs to be read anew.
- “S” Always display data from query start (Stable Data) 
- “C” Always display Current Data 
- “ ” Data from query start if possible, otherwise current data (default behavior)



Data Integrity Profile

Data Integrity Profile	D Dirty data - no caching	<input type="checkbox"/> InfoProvider Setting
Read Mode	Default: No profile (expert settings are used)	<input type="checkbox"/> InfoProvider Setting
	G Guaranteed stable data from query start	
	S Data from query start	
Cache Mode	P Provider specific: transactional providers with current data	<input type="checkbox"/> InfoProvider Setting
Cache Usage Mode	C Consistent current data	
	M Most current data	
	D Dirty data - no caching	<input checked="" type="checkbox"/> InfoProvider Setting
<input checked="" type="checkbox"/> Update Cache Objects		

- The data integrity profile offers a simple way to control the data integrity of a query without the need to understand all the expert settings of data integrity, cache mode, read mode, InfoProvider grouping, and cache usage mode
- Use: By using the data integrity profile, the system automatically uses correct settings for other individual technical query settings. This prevents contradictory settings of the expert settings, which might not produce the required query behavior.



Key Feature

Use Selection of Structure Elements

- The “Use Selection of Structure Elements” option affects system performance. This function should therefore normally be activated.
 - ♦ Example: Query with the restricted key figures (Sales 2013) and (Sales 2014): A drilldown by year in the rows would show the years 2013 and 2014 in the rows. If the query is filtered by the key figure (Sales 2013), then only the row for 2013 would be shown if the flag is switched on. If the flag is switched off, still the two rows for 2013 and 2014 would be shown but the cell (Sales 2014) for the year 2014 would be empty.



Process Key Figures with High Precision

- Defining a certain calculation accuracy decides which number format will be used internally for calculating key figures
 - ◆ The level of calculation accuracy can be set in the InfoObject maintenance transaction for each key figure, and in the query monitor for all key figures of a query
- There are two levels of precision:
 - ◆ Decimal floating point numbers with 16 places (#short decfloat#)
 - ◆ Decimal floating point numbers with 34 places (#long decfloat#)
- Short decfloats are used by default in the Analytic Engine for numerical data to minimize the memory requirements for the main memory and the OLAP cache



No Parallel Processing


- Parallel processing can be deactivated for an individual query. This can be beneficial because the query then uses fewer system resources if you use non-parallel processing.
- In the case of queries with very fast response times, the effort required for parallel processing can be greater than the achievable time gain
 - ◆ In this case, it may also make sense to turn off parallel processing
 - ▶ The query contains cells with a constant selection

Operations in SAP HANA

- If you are using the SAP HANA database, the system always checks whether optimized operations in the SAP HANA DB are possible for the InfoProvider that the selected query is based on. You can choose one of the following options:
 1. **No optimized operations in SAP HANA:** If there are virtual chars/key figures, the system sets the No Optimized Operations in SAP HANA
 2. **Individual access for each InfoProvider:** A separate access is made for each participating InfoProvider

Materialize Intermediate Query Result

- If the query property “Operations in SAP HANA” is set to “Exception Aggregation” or higher, a major part of query processing takes place in SAP HANA
- Normally it is faster to recalculate the intermediate results each time, because in this case subtotal level specific optimizations can be used
 - ♦ In some exceptional cases it is faster to materialize the intermediate result sets
- These cases involve a combination of the following:
 - ♦ A large number of characteristics in drill, each with subtotals
 - ♦ A huge reduction of data by standard aggregation
 - ♦ Nearly no reduction of data based on filters



What We'll Cover

- **Introducing SAP BW 7.4 SP11 on SAP HANA**
- **Learning to evaluate query performance and tuning BEx queries to run better on SAP HANA**
- **Evaluating the new query design tool available in SAP BW 7.4 and getting best practices for designing SAP HANA optimized queries**
- **Understanding the SAP HANA analytic process and learning to leverage analytic manager to enable advanced analytic capabilities**
- **Wrap-up**

Eclipse-Based Query with BW Modeling Tool (BW-MT)

The screenshot shows the configuration interface for the query APO_C06_HQ021. The main window is titled "General: APO_C06_HQ021 - APO Demand Plan Snap Shot Report".

General

- Technical Name: APO_C06_HQ021
- Description: APO Demand Plan Snap Shot Report
- InfoProvider: APO_C06
- Key Date: <default> (with a "Change..." button and an edit icon)

Value Output Format

- Sign Format: Before, for example -1
- Zero Format: With Currency/Unit

Output Settings

- Adjust Formatting after Refreshing
- Suppress Repeated Key Values
- Show Scaling for Measures

Result Location

- Rows: Above Below
- Columns: Left Right

Zero Suppression

- Applies to: Rows

Navigation tabs: General, Filter, Sheet Definition, Conditions, Exceptions

Bottom toolbar: Properties, Problems, History, BW Reporting Preview

APO_C06_HQ021

General


- InfoArea: IA_M001
- Package: \$TMP
- Version State: Active
- Object State: active
- Person Responsible: PRGUPTA
- Created On: Thursday, September 3, 2015 5:25:16 PM

- Create simple queries in Eclipse
 - BW-MT 1.6 required
 - A subset of query functionality can be created directly in Eclipse
- **Choose between various functions**
 - Create structures in row and columns area of the query
 - Conditions and exceptions
 - Currency and unit conversion
 - **CANNOT** create reusable restricted and calculated key figures and variables



Caution


Generate SAP HANA Views Based on BW Queries SP09+



- If a query definition can be expressed as a flat view, the calculation can fully take place in SAP HANA and corresponding HANA views can be generated
- Generate an SAP HANA model for a simple BW query including security
- Generated SAP HANA model is also able to read the data from NearLine Storage

Create a Query Using Eclipse-Based Query Designer

- Invoke the context menu on an SAP BW project and select New → BW Query



Create a Query Using Eclipse-Based Query Designer (cont.)



- New BW Query dialog box comes up, where we can give the name and description of the query

Note: When creating the query itself, it's possible to have the query in the Project Explorer "Favorites," for the SAP BW project, by selecting the "Add to Favorites" option

The screenshot shows the 'New BW Query' dialog box. The 'BW Project:*' field is set to 'BMH_200_prgupta_en'. The 'Add to Favorites' checkbox is checked. The 'Name:*' field contains 'RA_APO_C06_HQ081' and the 'Description:' field contains 'Reporting & Analytics Demo Report'. The 'Next >' button is highlighted.

Select the InfoProvider for Query

Select the desired InfoProvider and select “Finish” in the New BW Query dialog box



InfoProvider – Which has the characteristics, key figures, and reusable components

Five tabs – General, Filter, Sheet Definition, Conditions, and Exceptions

Define the Query: Filters and Sheet Definition

- Navigate to the Sheet Definition and Filter tabs and drag and drop the desired characteristics and key figures from the InfoProvider. You can also use Variable for Dynamic filters.

The screenshot shows the 'Filter' tab configuration for the query. The main area is titled 'Filter: RA_APO_C06_HQ081 - Reporting Analytics Demo Report'. It features two filter sections: 'Filter: Fixed Values' and 'Filter: Default Values'. The 'Fixed Values' section contains '[SNAPS_VER] Snapshot Version' and '[OMATERIAL] Material'. The 'Default Values' section contains '[OSALESORG] Sales Organization', '[SNAPS_VER] Snapshot Version', 'Key Figures', '[OPLANT] Plant', and '[OSOLD_TO] Sold-to party' (which is circled in red). The 'Properties' panel on the right shows the 'General' tab with 'Technical Name: OSOLD_TO' and 'Description: Sold-to party'. Below this are sections for 'Value Output Format' (Display As: Key and Text, Text Output Format: Standard), 'Sorting' (Sorting Attribute: As in Query, Sort By: As in Query, Sort Direction: As in Query), and 'Result Output Format'. The bottom navigation bar includes 'General', 'Filter', 'Sheet Definition', 'Conditions', and 'Exceptions'.

The screenshot shows the 'Sheet Definition' tab configuration for the query. The main area is titled 'Sheet Definition: RA_APO_C06_HQ081 - Reporting Analytics Demo Report'. It features three sections: 'Columns', 'Rows', and 'Free'. The 'Columns' section (circled in red) contains a 'Key Figures' group with '[A_BKCRDQ] Book CRD', '[A_BKCRDMT] Book CRD \$', and '[A_PRSPFF] Prev DP FinalFcstQty'. The 'Rows' section (circled in red) contains '[OSALESORG] Sales Organization'. The 'Free' section (circled in red) contains '[OSOLD_TO] Sold-to party', '[SNAPS_VER] Snapshot Version', and '[OPLANT] Plant'. The 'Properties' panel on the right shows the 'General' tab with 'Technical Name: SNAPS_VER' and 'Description: Snapshot Version'. Below this are sections for 'Value Output Format' (Display As: Key, Text Output Format: Standard), 'Sorting' (Sorting Attribute: As in Query, Sort By: As in Query, Sort Direction: As in Query), and 'Result Output Format'. The bottom navigation bar includes 'General', 'Filter', 'Sheet Definition', 'Conditions', and 'Exceptions'.

Preview of the Query Using the “Show Preview” Button



InfoProvider BW Reporting Preview

BEx Ad Hoc Analysis

Data Analysis Graphical Display Info Information Broadcasting

Reporting & Analytics Demo Report Last Data Update: 2015/07/17 10:16:54

[Save View](#)
[Bookmark](#)
[Variable Screen](#)
[Exceptions and Conditions](#)
[Notes](#)
[Export to Microsoft Excel](#)
[Export to CSV](#)

	Sales Organization	Book CRD	Book CRD \$	Prev DP FinalFcstQty
0005		0 PC	\$ 0.00	0 PC
1000		29,885,000 PC	\$ 0.00	394,686 PC
1100		1,116,563,815 PC	\$ 33,939,827.26	5,337,231,472 PC
1199		0 PC	\$ 0.00	63,300 PC
1200		377,656,155 PC	\$ 24,951,170.44	1,651,515,837 PC
1300		49,743,501 PC	\$ 6,339,306.50	186,540,537 PC
1400		79,740,642 PC	\$ 3,450,933.25	254,988,566 PC
1500		17,834 PC	\$ 0.00	1,784 PC
1700		13,383,644 PC	\$ 2,482,677.98	58,832,132 PC
1900		6,535,580 PC	\$ 0.00	24,000 PC
2100		0 PC	\$ 0.00	0 PC
2200		947,262,786 PC	\$ 34,615,470.80	5,129,648,907 PC
2400		1,821,763,807 PC	\$ 65,731,732.76	6,565,423,495 PC

For Further Tuning You Can Set Query Properties

- For example, you would like to suppress the ZERO Values

General
 Technical Name: RA_APO_C06_HQ081
 Description: Reporting & Analytics Demo Report
 InfoProvider: APO_C06
 Key Date: <default>

Value Output Format
 Sign Format: Before, for example -1
 Zero Format: With Currency/Unit

Result Location
 Rows: Above Below
 Columns: Left Right

Zero Suppression
 Applies to: Rows Columns
 Condition: All values must be zero

Output Settings
 Adjust Formatting after Refreshing
 Suppress Repeated Key Values
 Show Scaling for Measures

Document Links for:
 InfoProvider Data
 Master Data
 Metadata

Before Zero Suppression

Sales Organization	Book CRD	Book CRD \$	Prev DP FinalFstQty
0005	0 PC	\$ 0.00	0 PC
1000	29,885,000 PC	\$ 0.00	394,686 PC
1100	1,116,563,815 PC	\$ 33,939,827.26	5,337,231,472 PC
1199	0 PC	\$ 0.00	63,300 PC
1200	377,656,155 PC	\$ 24,951,170.44	1,651,515,837 PC

After Zero Suppression

Sales Organization	Book CRD	Book CRD \$	Prev DP FinalFstQty
1000	29,885,000 PC	\$ 0.00	394,686 PC
1100	1,116,563,815 PC	\$ 33,939,827.26	5,337,231,472 PC
1199	0 PC	\$ 0.00	63,300 PC
1200	377,656,155 PC	\$ 24,951,170.44	1,651,515,837 PC
1300	49,743,501 PC	\$ 6,339,306.50	186,540,537 PC
1400	79,740,642 PC	\$ 3,450,933.25	254,988,566 PC



Where to Find it

What We'll Cover

- Introducing SAP BW 7.4 SP11 on SAP HANA
- Learning to evaluate query performance and tuning BEx queries to run better on SAP HANA
- Evaluating the new query design tool available in SAP BW 7.4 and getting best practices for designing SAP HANA optimized queries
- Understanding the SAP HANA analytic process and learning to leverage analytic manager to enable advanced analytic capabilities
- Wrap-up

Analysis Process Designer


SAP BW 3.x	SAP BW 7.01	SAP BW on SAP HANA
5 DataSources	5 DataSources	6 DataSources
14 Transformations	16 Transformations	16 Transformations
8 Data Targets	9 Data Targets	10 Data Targets

The image displays three screenshots of the SAP Analysis Process Designer interface, illustrating the evolution of data processing capabilities across different SAP BW versions:

- Top Screenshot (SAP BW 3.5):** Shows an Analysis Process named "APD with BW 3.5". The left sidebar contains icons for Data Sources, Transformations, and Data Targets. The Data Targets section is highlighted with a red box.
- Middle Screenshot (SAP BW 7.01):** Shows an Analysis Process named "APD with BW 7.01". The left sidebar contains icons for Data Sources, Transformations, and Data Targets. The Data Targets section is highlighted with a red box. A purple arrow points from a transformation icon in the middle screenshot to the "Union" transformation icon in the Data Targets section of this screenshot, with the text "Unify data from Two Data Sources (Union)" below it.
- Bottom Screenshot (SAP BW on HANA):** Shows an Analysis Process named "APD with BW on HANA". The left sidebar contains icons for Data Sources, Transformations, and Data Targets. The Data Targets section is highlighted with a red box. A purple arrow points from a transformation icon in the middle screenshot to the "Read Analysis Authorization" transformation icon in the Data Sources section of this screenshot, with the text "Read Analysis Authorization" next to it.

What Is an SAP HANA Analysis Process (HAP)



- Using SAP HANA analysis process, functions of the SAP HANA database and functions in the SAP BW systems can be combined
- Always made up of exactly one data source, a function for data analysis, and data target
- SAP recommends to use SAP HANA analysis process instead of Analysis Process Designer (APD) to take advantage of improved performance
- It is possible to execute SAP HANA functions from different libraries (e.g., PAL, AFL, R) directly on SAP BW InfoProvider data such as clustering, association algorithms, regression analysis, weighted score, exponential smoothing, etc.



Source: SAP

Steps to Create an SAP HANA Analysis Process

- In the Modeling Workbench (RSA1), choose SAP HANA Analysis Process under Modeling



Steps to Create an SAP HANA Analysis Process (cont.)

- On the Overview tab, select a data source
- Select the **Function or Script** or **Procedure** for the data analysis
- Select the data target

SAP HANA Analysis Process **TLI_HAP_EXAMPLE** Example for SAP HANA Analysis Process

Overview | Data Source | Data Analysis | Data Target

Description: Example for SAP HANA Analysis Process

InfoArea: TLI_TEST Tli Test

Data Source: InfoProvider ZD_SD_C03

Data Analysis: Function or Script OBW_OPER_ABC ABC Analysis

Restrictions: Operation: * (1) 9 Entries found

Analysis Type	Sub C..	Long Description
OBW_OPER_ABC	LFUNC	ABC Analysis
OBW_OPER_APRIORI	LFUNC	Association Analysis (Apriori Algorithm)
OBW_OPER_DOUBLE_SMOOTH	LFUNC	Double Exponential Smoothing
OBW_OPER_K_MEANS	LFUNC	K-Means Algorithm
OBW_OPER_OUTLIERS	LFUNC	Anomaly Detection
OBW_OPER_SINGLE_SMOOTH	LFUNC	Single Exponential Smoothing
OBW_OPER_TRIPLE_SMOOTH	LFUNC	Triple Exponential Smoothing
OBW_OPER_WEIGHTED_SCORING	LFUNC	Weighted Scoring Method
OBW_PROJECTION	LFUNC	Projection

Data Target: **Default** TLI_HAP_EXAMPLE

Generate Analytic Index: Generate Analytic Index

Persist Result in Analytic Index: Persist Result in Analytic Index

DataStore Object: Database Table: Embedded in Data Transfer Process:

Steps to Create an SAP HANA Analysis Process (cont.)

- Data Source Tab: Make assignments between the fields of the data source and the entry table of a function or procedure, and create filters and calculations

The screenshot shows the SAP HANA Analysis Process interface. The 'Data Source' tab is active and highlighted with a red box. The 'Key Date' is set to 'by Variable' with the value 'ODAT'. The 'Field Mapping: Data Source -> Data Analysis' section shows a mapping between the 'InfoProvider ZD_SD_C03 (SAP Demo Sales and Distribution: Overview)' and the 'Data Analysis 0BW_OPER_ABC (ABC Analysis)'. The mapping table is as follows:

Sel.	Name	Icon	Description	Filter	Conversion Type	Aggregation
<input type="checkbox"/>	0BASE_UOM		Base Unit of Measure			
<input type="checkbox"/>	0STAT_CURR		Statistics Currency			
<input type="checkbox"/>	0D_COUNTRY		Country (SAP Demo)	→		
<input type="checkbox"/>	0D_CO_CODE		Company Code (SAP Demo)	→		
<input type="checkbox"/>	0D_DEBCRED		Credit/Debit posting (C/D) (SAP DEMO)	→		
<input type="checkbox"/>	0D_DIS_CHAN		Distribution Channel (SAP Demo)	→		
<input type="checkbox"/>	0D_DIV		Division (SAP Demo)	→		
<input type="checkbox"/>	0D_DOCCLASS		Docu class order/delivery/invoice (SAP DEMO)	→		
<input type="checkbox"/>	0D_MATERIAL		Material (SAP Demo)	→		
<input type="checkbox"/>	0D_PAYER		Payer (SAP DEMO)	→		
<input type="checkbox"/>	0D_PLANT		Plant (SAP DEMO)	→		
<input type="checkbox"/>	0D_REGION		GIS-Region (SAP DEMO)	→		
<input type="checkbox"/>	0D_SALE_GRP		Sales Group (SAP DEMO)	→		
<input type="checkbox"/>	0D_SALE_ORG		Sales Organization (SAP Demo)	→		

Name	Description
ITEM	Object to be classified
VALUE	Key figure for classification

Open order Qty is mapped to the Value

Steps to Create an SAP HANA Analysis Process (cont.)

- Data Analysis Tab: You start by choosing a PAL (Predictive Analysis Library) function
- On this tab you can change the parameters of the function selected. This tab is only visible if you choose **Function** or **Script** in the Overview tab.

SAP HANA Analysis Process TLI_HAP_EXAMPLE Example for SAP HANA Analysis Process

Overview Data Source **Data Analysis** Data Target

Parameters

Parameter
ABC Intervals

Values

ABC Intervals

Percentage A	Percentage B	Percentage C
50	25,00	25,00

Customizing of used procedures/function
(The sum be equal to 100)




Note

You can find details on PAL functions here:

http://help.sap.com/hana/SAP_HANA_Predictive_Analysis_Library_PAL_en.pdf

Steps to Create an SAP HANA Analysis Process (cont.)

- Procedure Tab: You start by choosing a PAL (Predictive Analysis Library) function
- On this tab you can change the parameters of the function selected. This tab is only visible if you choose **Procedure** in the Overview tab.
- You can enhance the default logic of the generated procedure



Steps to Create an SAP HANA Analysis Process (cont.)

- Data Target Tab: You can edit loading behavior settings here
- Depending on the selections in the first page, Data Analysis and Analytic Index tabs can be selected
- Analytic Indexes:
 - ♦ Cannot be transported
 - ♦ No backup and restore
 - ♦ Best used for ad hoc scenarios only
 - ♦ Is used to generate a Transient Provider



Caution

Maintain SAP HANA Analysis Process HAP_RA_2015_001

SAP HANA Analysis Process [HAP_RA_2015_001] HANA Analytical Process Desing1

Overview Data Source Procedure Definition Data Target

Data Analysis Analytic Index

Analytic Index [HAP_RA_2015_001] HANA Analytical Process Desing

Load Data:

- Replace Existing Data with New Data (Full Update)
- Add New Data to Existing Data

Properties Dimensions Key Figures Data

InfoProvider @3HAP_RA_2015_001

InfoArea IA_M001

Workspace


Technical Settings

- Fact Index Without Key (Insert When Loading New Data)
- Fact Index With Key (Update When Loading New Data)

What We'll Cover

- **Introducing SAP BW 7.4 SP11 on SAP HANA**
 - **Learning to evaluate query performance and tuning BEx queries to run better on SAP HANA**
 - **Evaluating the new query design tool available in SAP BW 7.4 and getting best practices for designing SAP HANA optimized queries**
 - **Understanding the SAP HANA analytic process and learning to leverage analytic manager to enable advanced analytic capabilities**
- **Wrap-up**


Where to Find More Information



- You can find articles and presentations on SAP HANA and SAP BW 7.4
 - ♦ BW 74 Powered by SAP HANA: Use it to your advantage
 - ♦ Simple Models in HANA
 - ♦ Extending the Reach of LSA++



- Operations in SAP HANA/BWA on the SAP Help Portal
 - ♦ https://help.sap.com/saphelp_nw73/helpdata/en/4b/bda228a8b43c22e1000000a42189b/frameset.htm



- Marc Hartz, “How to check the SAP BW Query push down to SAP HANA?” (SAP Community Network, June 2015).
 - ♦ <http://scn.sap.com/community/bw-hana/blog/2015/06/18/how-to-check-the-sap-bw-query-push-down-to-sap-hana>

7 Key Points to Take Home

- SAP BW on SAP HANA does not mean that your queries are always rocket speed
- Take the time to understand the query execution plan, modes, and stats. This brings you insight into the steps at different layers.
- Keep check on new information from SAP as there is a lot of development going on with respect to query processing and feature push down
- Query performance improvements are just one of many improvements and enhancements that SAP HANA can bring to you
- SAP BW 7.4 coupled with SAP HANA brings an exciting range of new modeling capabilities and other features
- The new query design tool shows you a preview of the data in design mode
- HAP makes it possible to execute SAP HANA functions from different libraries (e.g., PAL, AFL, R) directly on SAP BW InfoProvider data

Your Turn!



Questions?

How to contact me:

Pravin Gupta

Director, Business Analytics

TekLink International

Pravin.Gupta@teklink.com

Please remember to complete your session evaluation

Disclaimer

SAP and other SAP products and services mentioned herein as well as their respective logos are trademarks or registered trademarks of SAP SE (or an SAP affiliate company) in Germany and other countries. All other product and service names mentioned are the trademarks of their respective companies. Wellesley Information Services is neither owned nor controlled by SAP SE.